

Tender Ref No: 015 /JSDSM/ 2022 /Jabalpur

Date:-.31.05.2022

# **Notice Inviting Tender**

Online Tender are invited for *Supply Milk Testing Equipment*' at Jabalpur sahakari dugdh sangh from reputed manufacturer/distributor/dealer/suppliers. The tender documents containing the terms and conditions can be purchased online & downloaded through following website <u>http://www.mp</u> tenders.gov.in from 02.06.2022 At 2:00 PM onwards. The tender will be opened in the office of the undersigned as mentioned in tender time schedule (key date ) the detailed Tender form can be seen (only reference ) at our H.O website : <u>www.sanchidairy.com</u>. EMD amount 10,000/- should be submitted online only

The tender is available for purchase/download from :- 02.06.2022

- ✤ Last date & time for Purchase of tender form:- 21.06.2022 at 12:00 PM
- ◆ Last date & time of submission of Tender : 21.06.2022 at 2:00 PM
- ✤ Opening Of Tender :- 22.00.2022 at 12:00 PM

जबलपुर द्भार FEXECUTIVE OFFICER दुर्फ़िवाpur Salfakari Dugdh Sangh Maryadit मंप्र शासन का सहकारी उत्पाद

## JABALPUR SAHAKARI DUGDHA SANGH MYDT, JABALPUR

#### General Terms & Conditions for tender submission & supply

Jabalpur Sahakari Dugdha Sangh Mydt, Jabalpur (JSDSM), an ISO certified cooperative organization, invites sealed tenders from bonafide manufacturers and/ or their authorised dealers or other suppliers for supply of Milk Testing Equipments strictly in adherence to the detailed specifications given in the annexure of the tender documents. Jabalpur Sahakari Dugdha Sangh Mydt., Jabalpur reserves the right to accept or reject any or all tenders, which in their opinion justify such actions, without further explanation to the tenderers.

#### 1.0 **DECLARATION:**

The submission of a tender by a tenderer implies that he/she has read the notice and conditions of the tender and the terms and conditions of contract and has made himself/herself aware of scope and specifications of the supplies to be made and the destination where the supplies have to be made and satisfied himself/herself regarding the quality and specifications of the articles.

#### 2.0 **TENDER SUBMISSION:**

2.1 Tenders received by e-mail will not be considered. However, amendments by e-mail to a tender sent will be considered, provided the same are received before the opening of the tender and confirmed by post.

- MSME industries of The Madhya Pradesh State will be exempted from payment of the EMD and 2.2 tender fee of the tender. (MSME Certificate to be uploaded online mandatory)
- 2.3 The tenderer(s) should clearly state in their offer the address, telephone, fax, E-mail, PAN anGST Numbers. Any charge in the address should immediately be communicated to the Chief Executive Officer, Jabalpur Sahakari Dugdh Sangh Mydt, Jabalpur and correspondence thereafter will be made at the changed address.
- Presently the rates invited for one year from the approval date of rates, it can be extended to 2.4 further six months on the basis of mutual agreement if quality and supply of materials found satisfactory. Wherever there is variation in the requirement of quantity, the delivery schedule shall also be modified accordingly by the Jabalpur Sahakari Dugdh Sangh Maryadit, jabalpur. 2.5 Negligence on the part of tenderer in filling the tender form offers him/her no right to withdraw the

tender after it has been opened.

- The acceptance of the tender and award of the purchase order will be the sole right of the Chief 2.6 Executive Officer, Jabalpur, Sah, Dugdha, Sangh, Mydt, Who does not bind himself to accept a tender in whole or in part or reject any or all the tenders received without assigning any reasons and no explanation can be demanded of the cause of rejection of the tender by any tenderer.
- 2.7 The Chief Executive Officer, JSDSM reserves the right to place order for whole requirement with any tenderer or split the orders among one or more tenderers or not to purchase at all any item even after rate approval.
- Each tender should be accompanied with copy of PAN number of the tender& valid "GSTIN " 2.8 number .The tender without "GSTIN " number shall be treated as non -responsive
- The tenderers should submit the rates online only. The conditional tenders are liable to be rejected. 2.9
- 2.10 No person or firm is permitted to submit more than one tender under different names.
- 2.11 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, JSDSM.
- 2.12 Manufacturers will be given preference. Copy of license is to be attached with tender for each item filled in, wholesalers dealing with the item will have to attach copy of authorization certificate of the manufacturer.
- No person or firm is permitted to submit more than one tender under different names. 2.13
- 2.14 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, JSDSM during the supply.
- 2.15 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, JSDSM during the supply.
- 2.16 Only Agmark license holder printers/manufactures are eligible to participate in tender for Ghee duplex cartoon, Table butter duplex cartoon & Ghee tins for defense
- 2.17 If needed, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.
- 2.18 Conditional Tenders are liable for rejection.

#### **Bid Validity**

Bid shall be valid for a period of 90 days from the date of opening.

#### Documents composing the Bid Technical bid:

- 1. Online EMD transaction acknowledgement
- 2. Tender document each page sealed and signed as token of acceptance to each and every terms and conditions.

## **Commercial Bid**

• Commercial Bid form filled

## Bid price

# Price indicated on the price schedule shall be inclusive of pkg – frdg, freight and GST Includes.

## 3.0 Earnest Money Deposit

#### 3.1 EMD amount 10,000/- should be submitted online only

- 3.2 Any tender which is not accompanied by Earnest Money deposit are liable to be rejected. Earnest money deposit of unsuccessful tenderers will be returned within 90 days from the date of opening of the tender. The earnest money deposit of the successful tenderers will be released on completion of supply/work as the case may be within the stipulated period.
- 3.3 No interest will be paid on the earnest money for the period during which (the EMD) lies in deposit with Jabalpur Sahakari Dugdha Sangh. Maryadit.
- EMD may be forfeited :
  - If successful Bidder/supplier fails/denies to perform work
  - If any bidder/supplier withdraw its bid during the bid validity period

#### 4.0 <u>PRICES:</u>

Prices offered by the tenderers should be firm and *free from all escalations* and shall be valid at *least* for a period of 12 months from the tender of opproval of rates 45D5 M will have the right to extend the validity of the tender approval by 5 months. If any tenderer wish to offer the rate subject to <u>PRICE</u> ESCALATION CLAUSE of raw unpreviates, they may do solver the rate in BOQ Form

In case of a tenderer opting for offering prices subject to PRICE ESCALATION CLAUSE of raw materials then,

(i) The tenderer shall have to submit the current price of the raw materials as on the date of tender along with sufficient authentic proof from the manufacturer of the raw material.

(ii) The successful/approved firm will have to submit revised prices of raw materials with sufficient authentic proof from the manufacturer of the raw material whenever revision takes place.

(iii) Accordingly the approved prices of the materials shall be revised upwardly or downwardly to the extent of the raw material component of the material

#### 4.1 The tenderer should quote rate on FOR dairy plant, Jabalpur basis, GST includes.

4.2 If need be, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.

#### 5.0 MODE OF DESPATCH

- 5.1 The material to be supplied by successful firm shall be dispatched to the dairy under prior intimation. Depending upon the type of material, the supplier shall have to carry out proper packing/crating to avoid damage during transit.
- 5.3 Wharfage /Demurrage etc. on account of incorrect or delayed dispatch of material/documents shall be the responsibility of supplier and shall be recovered from the bills.

# 6.0 LIQUIDATED DAMAGES;

6.1 Delivery date are fixed for supply of material they shall be strictly adhered too. In case they are not followed, or in case of delay in execution or non-execution of the order, the Dugdha Sangh reserves the right either to cancel the order and make alternative purchases from other sources, at the risk and cost & expenses of the defaulting supplier. In case the supplies are not affected as per the schedules, the liquidated damages may be charged on the goods not so delivered as under:-

S.No.	Duration of delay	Liquidated Damages
1.	Up-to 15 days	1% cost of the unit.
2.	Between 16 to 30 days	2% cost of the unit
3.	Beyond 30 days	Up-to 5% cost of the unit.

6.2 If the tenderer fails to make supply as per purchase order without any valid reason, the order would be treated as cancelled and the firm may be blacklisted for future dealings and EMD also would be forfeited by the management.

## 7.0 INSURANCE:

Insurance is to be arranged by the tenderer.

#### 8.0 **INSPECTION:**

81 All the supplies are subject to inspection at our plant before acceptance. If goods are rejected due to defective or wrong supply, the report of our authorized official in this respect shall be FINAL and no correspondence on the subject would be entertained. The rejected goods should be removed from our premises by the tenderer within 15 days after receipt of our inspection report failing which the same shall be returned to the supplier at his risk and expenses or disposed off in Auction and the proceeds, if any, less expenses would be credited to tenderer's account.

8.2 Sample of the articles should be sent/produced before the competent authority if asked for within 7 days or as mutually agreed

#### 9.0 PAYMENT

Our normal terms of payment is full payment after receipt 91 inspection and acceptance of materials in our stores within a period of about 30 days after receipt. Such payments shall be made through RTGS.

# 10.

TERMINATION OF CONFLICTURE GOLD TERMINATION OF CONFLICTURE TERMINATION OF CONFLICATION OF CONFLICATION OF CO Sangh Mydt. to dispute, then Javalpur Salhakar Dugdha Sangh Mydt. shall be competent to debar/blacklist the unit from further business.

#### **CONSEQUENCES OF BREACH OF AGREEMENT:** 11.0

If any firm under the contract commits breach of any of the conditions, it shall be lawful for the Chief Executive Officer, Jabalpur Sahakari Dugdha Sangh Mydt. to cancel the contract and to purchase material from any other alternate sources on the risk and cost of the defaulting unit.

# **12. DISPUTE ARBITRATION & FINAL AUTHORITY:**

- 12.1 It should be clearly understood that in the event of a successful tenderer failing to accept and execute the supply order, then decision of the Chief Executive Officer, Jabalpur Dugdha Sangh Mydt., in this respect will be final and binding on the successful tenderer.
- 12.2 For all matters of dispute, the decision of the Honourable Chairman, Jabalpur Sah. Dugdha Sangh Mydt. Under Arbitration and Conciliation Act. 1996 shall be final and binding on all the concerned.
- 12.3 For all disputes, the venue for legal course shall be at Jabalpur.

JABALPUR SAHAKARI DUGDHA SANGH MARYADIT JABALPUR
List of Milk Testing Equipment's

C		Milk Testing Equipment's	TIm:4	Doguinad
S. N	Description Of Material	Specification	Unit packing	Required Quantity
1	A I Sheaths	SA-1/50	01 Pkt	2000 Nos.
2	Acid HDPE Jerry can	20 Ltr. Cap., white color approx. weight 1 kg. Suitable for sulphuric acid, non-stackable	One No.	5000 Nos.
3	Alcohol HDPE Jerry Can	2.5 Ltr. White color approx. weight 250 gms, non-stackable.	One No.	5000 Nos.
4	Butyrometer Holding Stand	Made of Plastic and good finishing 12 holes diameter 27-mm	One No.	500 Nos.
5	PVC Tanker Loading Unloading Pipe (51 MM)	51 MM food grades ISI Make	01 Mtr.	100 Mtr
5a.	PVC Tanker Loading Unloading Pipe (38 MM)	38-MM food grades ISI Make	01 Mtr.	100 Mtr
6a	Lactometer (Short Stem) ± 0.5 Accuracy (ISI- mark optional)	Graduation 0 to 40 with 1 division, Accuracy + 1 CLR Dimension Length of Bulb 9.0 cms. + 0.3 Length of stem 8.0 cms. (Max.) Diameter of bulb 1.6 cms. + 0.1 Diameter of stem 0.4 cms Childration Geolog. 250 C (840 F) Material -Lactometer, shall be made from Chass-1 of equivalent Borostil glass and it should be free from visible defects. Lactometer should be marked individual identification number	One No. per pkt.	5000 Nos.
6b	Lactometer (Long Stem) ± 0.5 Accuracy (ISI Mark ed)	<b>Graduation</b> 20-to 35 with ½ division, Accuracy + 0.5 CLR <b>Dimension</b> - <i>Length of Bulb</i> 11.5 cms.+ 0.3 <i>Length of stem</i> 7.5 cms. (Max.) <i>Diameter of bulb</i> 2.1 cms.+ 0.1 <i>Diameter of stem</i> 0.4 cms. <b>Calibration temp</b> . 27°C <b>Material</b> -Lactometer shall be made from Class-1 or equivalent.Borosil glass and it should be free from visible defects. Lactometer should be marked individual identification numbered.		
7	Lactometer – Jar (Alu)	Dimension Height 135 mm + 2 mm Inner dia 26mm + 1 mm Outer dia 32 mm +2 mm Thickness of sheet 1.5 mm Weight Min. 45g + 3g Leakage Jar should not show leakage from the joint of Cylinder and its base Other requirement	One No.	5000 No

		Jar Should Stand straight at its uniform circular base. Material Jar should be made from the best quality alluminium		
8	Milk collection tray (S.S)	sheet         Material Milk collection trays shall be made of B-304,S.Steel only         Dimension 24''L x 18'' W x 2.5'' H one hole in high side 2'' without let.         Spout diameter & length Length 15 cms         Diameter 4 cms ± 1 mm         Embossing -Every tray shall be embossed with JSDS letters & manufacturer's name in short and month/year.	Wt3 Kg + 5 % One Nos	100 Nos.
9	Milk collection tray (Alu.)	22 Gauge G.I. Sheet size 30''L x 20'' w x 3'' H one hole in high side 2'' with-out let.	Wt5 Kgs + 5 % One No	100 Nos.
10	Milk Strainer	13" Diameter with clamp (Weight 900 grams ±10 grms) (B-304,S. Steel)	One No.	2000 Nos.
11.	Milk Strainer sleves only	Brass		
12	Milk Plunger (Alu)	Aluminum 6'' dia base plate &,30'' long	One No.	500 Nos.
13	Milk Plunger (S.S)	S.S.,30 <sup>°</sup> Long,7 mm thick rod 6 <sup>°</sup> diameter plate (B-304,S Steel)	One No.	500 Nos.
14	Milk sampler	50 ml cap, prepared from aluminum/4 mm thick alu Round wiry handle duly anodized	One No.	1000 Nos.
15	Milk measuring set (Alu)	1000 + 500 + 200 + 100 ml per set duly stamped by w &	One Set Aluminum	500 sets
16	Milk measuring set (S	C 1000 + 500 + 2000 + 100 m per set duly stamped by w &	One Set S.S	500 sets
17	Test Tube	18*150 mm	One No	1000 Nos.
18	Pipette stand	Plastic for 8 pipette	One No	100 Nos.
19	Sample Bottle (Plastic)	Plastic ,White colour, 110±10 ml cap. Diameter 32 mm+1 with cap,body dia.38+1 mm	One No	10,000 Nos.
20	Sample Bottle (S.S)	S.S.,100 ml. (B-304,S. Steel)	One No	10,000 Nos.
21	Sample Bottle Stand (Plastic)	Prepared from 20 gauge thick best quality aluminum sheet with 24 holes with round wire handle duly anodized/ holes diameter 35-40 mm	One No	500 Nos.
22	Sample Bottle Stand (S.S)	S.S. with 24 holes ( <b>B-304,S. Steel</b> ) 600 gms+5 %	One No	500 Nos.
23	Thermometer	Zeal type Mercury/Alcohol filled/ -10° C to 110° C minimum graduation 0.5° c	One No	1000 Nos.
24	Spare parts for co	entrifugal machine(Hand-Driven) IS : 1223.2001	Suitable for A LAKSMI/ SANF MAKE Othe Bra	RAJ/ LIMMCO r Reputed
25	Plastic/Aluminum	""	One No	500
•	holder or clamp for	""	Or N	Nos.
Α	Shaft for Gear	~"	One No	500

				Nos.
В	Handle with screw	""	One No	500 Nos.
26	Alcohol Tilt Measure	-1 ml with rubber cork made of plastic	One No.	2500 Nos.
27	Butyrometer	ISI Marked, permanent silver screened graduated tubes non fading lines	10 Nos. pkd in each pkt.	3000 Nos.
28.	Butyrometer Brush	Nylon thread	144/ grs	70 Grs
29	Butyrometer Shaking	Made of teak wood and good finishing 24	0	1000
A.	Stand	holes diameter 27 mm/ make of plastic	One No.	Nos.
29	Butyrometer Shaking	Made of Plastic and good finishing 24 holes		1000
B.	Stand	diameter 27 mm	One No.	Nos.
30	Funnel Plastic	White color, 5 <sup>1</sup> / <sub>2</sub> <sup>(*)</sup> dia total Height-16.5 cms Holding Tab- within 2.7cms,with hole in center Length of the tab 3cms	One No	500 Nos.
31. 32. A	Centrifugal Machine /Garber Machine Driven) Centrifugal Machine /Garber Machine (Electronic )	IS : 1223 Section 6 2001 ISI Marked with CML No Top Dia 51 cm. outer Height 4.5 cm. Bottom 48 cms. Height 4 cms. Outer Dis Paint & Finish White enamel of good quality Sockets Made of PVC Inner diameter min. 2.7 cms. Number of sockets – 24, Weight of sockets min. 10 grms Thickness of sheet Imm Toral wt. of the disc avithout socket Shah be min 3.6 ± 1 Kg suitable for 24 test solid construction. /ASHA/Sonu/Laksmi/Sanraj/Limnocemake Other Height 4.5 cm. Bottom 48 cms. Height 4 cms. Outer Dis Paint & Finish-White enamel-of good quality Sockets Made of PVC Inner diameter min. 2.7 cms. Number of sockets – 24, Weight of sockets – 24, Weight of sockets min. 10 grms Thickness of sheet Imm Total wt. of the disc without socket Shall be min. 3.6 ± 1 Kg suitable for 24 test solid construction. /ASHA/Sonu/Laksmi/Sanraj/Limmco make Other Reputed Brand	Electric driven centrifuge shall be equipped with devi ces designed to ensu re that it cannot be started until doors covers, lids and / or guards have been closed and secured and that access cannot Subsequently be gained until linear and rotational motion have Ceased. Centrifuge shall be provid ed with a spaed control and oan over speed prevention device. For spped control, where a centrifuge is fitted with a friction brake, an inter lock shall be Provided to prevent the centrif uge from being set in motion until the brake is released. The application of any such brakes shall Autom atically isolate the main drive mechanism.	500 Nos. 500 Nos.

			255 Radius	
32	Garber Machine Socket	Suitable for ASHA/LAKSHMI/SONU	One No	500
B.		/SANRAJ/LMMCO / Other Reputed Brand		Nos.
33.	Gear Wheel	Suitable for ASHA /LAKSHMI/SONU/	One No	500
55.		SANRAJ/LMMCO/Other Reputed Brand		Nos.
34	Lock stopper	S.S.,Size-35x65mm (B-304, Steal only)		5,000
A.	Look stopper		1 Dozen	Dozen
34.	Lock stopper	ISI Marked, Garber type with brass cap		5,000
В	r		1 Dozen	Dozen
35.	Lock Stopper Pin	aluminum		1000
	11		One Nos.	Nos.
36.	Milk Pipette (10.75ml)	10.75 ml, ISI marked corning glass	25 Nos. Packed	5000
	1 ( )	,	in each pkt.	Nos.
37.	Milk Pipette Brush	Weight of Brush 5 gram (Min)	1	70 Grs
	1	Total length of Brush 41 cm + 2cms		
		Hairing length 10 cm (upto 1st 2 cm, Tapered		
		type haring)		
		Diameter of brush 2.5 cm		
	/	Note: Sample piece should be provided at the		
	/	time of opening of tender		
		If the length & dia of hairing (Bristes) are		
	/	found unproportionate deduction shall made or		
	/	may be rejected.	1 grs. Bunch	
38.	Milk Collection Tray	size 24"L x 18" w x 2.5" H one hole in high	Wt3 Kgs + 5 %	100
	Stand	side 2'' with out let. (B-304,S.Steel only)	One Noz	Nos.
		22 Gauge G.I.Sheet size 30"L x 20" w x 3"	Wt5 Kgs + 5 %	100
		Hone hole in high side 2' with-out let	One No	Nos.
39	Sample Bottle Brush –	Weight of Brush 3 gram (Min)		70 Grs
	\ <b>•</b>	Diameter of bush for hair-5.0 cms		
	1	(throughout) Hairing of brush 8.5 + 0.5 cm.		
	$\langle \cdot \rangle$	Total length of brush including loop type handle- 20 + 2 cm.Note:Sample be given with offer by		
		Tenderer.If the length & dia of hairing (Bristes)		
		are found unproportionate deduction shall made		
		or may be rejected	1 grs.	
40.	Milk Can (Aluminum)	Material :- Made as per A ISI Marked	0	
	· · · · · ·	• Total Out Side Length top to		
		bottom-591±4mm		
		• Inside lenth-575±3mm		
		• Body Diameter-340±3 mm		
		• Mouth Diameter-200±0.5mm		
		<ul> <li>Bottom Daimeter:-352±3mm</li> <li>Body nock thicknoss 2mm minimum</li> </ul>		
		<ul><li>Body neck thickness-2mm minimum</li><li>Bottom thickness:-3 mm</li></ul>		
		<ul> <li>Near Handles-13.5mm</li> </ul>	1000 Nos.	
41.	Milk Can Aluminum	Total Diameter(including Collar)-289mm		
	lid	<ul> <li>Neck Diameter-200mm</li> </ul>		
		• Dia of can lid-194.5±0.5mm		
		• Thickness of lid-1.8mm min		
		• Thickness of neck-1.8 mm min		
		• Length neck to bottom-75mm		
		• Hole in collar-2 Nos.size 8mm		
		<ul> <li>Hole in neck-3 Nos.size1mm</li> </ul>		

# JABALPUR SAHAKARI DUGDHA SANGH MARYADIT

# <u> Form – A</u>

# (To be submitted along with the offer)

Chief Executive Officer	Date :
JSDS,	
Jabalpur	
Dear Sir,	
I/We hereby furnish below some particulars about our company/unit which will	form a part of our offer
submission :	
1. Name of the Co./Unit :	
2. Address of the Co./Unit :	
3. Telephone Nos.(with STD Code) :_ FAX Not	$\langle \rangle$
Email ID	
4. Name of the CEO/Proprietor/ :_ Partner :	
	1
5. Name and designation of other <b>Authorized signator of the o</b> . <b>TEL</b>	/
मंप्र शासन का सहकारी उत्पाद	/
	/
6. Particulars of Regn. Certificate as a Manufacturer Issued by the	
competent authority	-
(Deer No. 9, Deta) (Fuelesed Court)	
(Regn No. & Date) (Enclosed Copy) :	_
7. GST NO. dated	
7: 031 NO. dated	_
8. Details of PAN CARD (Enclosed Copy):	
	_
9. Income Tax return (Enclose Copy):	_
10. Name of Bank & RTGS/NEFT No.:	_

Enclose cancelled che	eque:
-----------------------	-------

DATE:

11. Have your Co./Unit or its sister concern ever been black listed/ debarred by JSDS or its sister Milk Unions or GOI /GOMP & its undertaking ? YES / NO

12. If Yes, when & Why? Give reason in details

I/WE HAVE READ THE TERMS AND CONDITIONS OF THE TENDER DOCUMENT. WHICH ARE ACCEPTABLE TO ME/US. NO ADDITIONAL CONDITION DEVIATION OR POINT OF DIFFERENCE HAS BEEN GIVEN BY ME/US. I AM PROPRIETOR / MANAGER/ DIRECTOR \_ OF THE TENDERING FIRM AND HAVE BEEN AUTHORISED TO SUBMIT: THE AUTHORITY LETTER IN THIS REGARDS IS ENCLOSED HEREWITH.



Seal & Signature of the

Authorised Signatory of the Co./Unit