

Tender Ref No:03 /JSDSM/ 2023 /Jabalpur

Notice Inviting Tender (E-TENDER)

Online Tender are invited from reputed manufacturer/distributor/dealer/suppliers for Ghee ceka box, jar pet/container & Packing Material under the head of packing material at Jabalpur sahakari dugdh sangh ,Jabalpur. The tender documents containing the terms and conditions can be purchased online & downloaded through following website http://www.mp tenders.gov.in from 31.01.2023 At 2:00 PM onwards. The tender will be opened in the office of the undersigned as mentioned in tender time schedule (key date) the detailed Tender form can be seen (only reference) at our H.O website: www.sanchidairy.com. EMD amount should be submitted online only

The tender is available for purchase/download from:-31.01.2023 From 2:00 PM onwards

- ❖ Last date & time for Purchase of tender form:- 09.02.2023 till 1:00 pm
- ❖ Last date & time of submission of Tender :- 10.02.2023 till 1:00 pm

CHIEF EXECUTIVE OFFICER Jabalpur Sahakari Dugdh Sangh Maryadit

JABALPUR SAHAKARI DUGDHA SANGH MYDT, JABALPUR

General Terms & Conditions for tender submission & supply

Jabalpur Sahakari Dugdha Sangh Mydt, Jabalpur (JSDSM), an ISO certified cooperative organization, invites sealed tenders from bonafide manufacturers or their authorised dealers or other suppliers for supply of *for Sanchi Ghee Ceka /Duplex Box*, *Pet jar & Packing Material for the year 2023-2024* at Jabalpur sahakari dugdh sangh ,Jabalpur strictly in adherence to the detailed specifications given in the annexure of the tender documents. Jabalpur Sahakari Dugdha Sangh Mydt., Jabalpur reserves the right to accept or reject any or all tenders, which in their opinion justify such actions, without further explanation to the tenderers.

1.0 DECLARATION:

The submission of a tender by a tenderer implies that he/she has read the notice and conditions of the tender and the terms and conditions of contract and has made himself/herself aware of scope and specifications of the supplies to be made and the destination where the supplies have to be made and satisfied himself/herself regarding the quality and specifications of the articles.

2.0 TENDER SUBMISSION:

- 2.1 Tenders received by e-mail will not be considered. However, amendments by e-mail to a tender sent will be considered, provided the same are received before the opening of the tender and confirmed by post.
- 2.2 The tenderer(s) should clearly state in their offer the address, telephone, fax, e-mail, PAN and GST Numbers. Any change in the address should immediately be communicated to the Chief Executive Officer, Jabalpur Sahakari Dugdh SanghMydt, Jabalpur and correspondence thereafter will be made at the changed address.
- 2.3 Negligence on the part of tenderer in filling the tender form offers him/her no right to withdraw tender after it has been opened.
 - 2.4 The acceptance of the tender and award of the purchase order will be the sole right of the Chief Executive Officer, Jabalpur Sah. Dugdha Sangh Mydt. who does not bind himself to accept a tender in whole or in part or reject any or all the tenders received without assigning any reasons and no explanation can be demanded of the cause of rejection of the tender by any tenderer.
 - 2.5 The Chief Executive Officer, JSDSM reserves the right to place order for whole requirement with any tenderer or split the orders among one or more tenderers or not to purchase at all any item even after rate approval.
 - 2.6 Each tender should be accompanied with copy of PAN number of the tender& valid "GSTIN" number .The tender without "GSTIN" number shall be treated as non –responsive
 - 2.7 The tenderers should submit the rates online only. The conditional tenders are liable to be rejected.
 - 2.8 No person or firm is permitted to submit more than one tender under different names.
 - 2.9 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, JSDSM.
 - 2.10 Manufacturers will be given preference. Copy of license is to be attached with tender for each item filled in, wholesalers dealing with the item will have to attach copy of authorization certificate of the manufacturer.
 - 2.11 No person or firm is permitted to submit more than one tender under different names.
 - 2.12 The tenderer shall not sublet the contract or assign to any other party or parties, the whole or any portion of the contract without prior written permission of Chief Executive Officer, JSDSM during the supply.

- 2.13 If food grade migration certificate is not provide by the supplier at time of supply of material, then JSDS Jabalpur will get the test at its own from NABL lab and charges will be deducted from the bill of supplier.
- 2.14 Only Agmark license holder printers/manufactures are eligible to participate in tender for Ghee duplex cartoon, Table butter duplex cartoon & Ghee tins for defense.
- 2.15 Tenderer offering rates for packing materials shall submit COA and Food Grade Migration Report for liner as per IS:9845 from NABL lab with each consignment mandatorily as per FSSAI packaging regulation 2018 clause 3.2 & 3.14
- 2.16 If needed, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.
- 2.17 Conditional Tenders are liable for rejection.

Bid Validity

Bid shall be valid for a period of 90 days from the date of opening.

Documents composing the Bid

Technical bid:

- 1. Online EMD transaction acknowledgement
- 2. Copy of Registration Certificate of the Firm / Organization (Tenderer).
- 3. Copies of purchase orders last 2 years,
- 4. Copy of Permanent Account Number (PAN) and GSTIN.
- 5. Client list
- 6. Copy of latest Income Tax returns.
- 7. Tender document each page sealed and signed as token of acceptance to each and every terms and conditions.
- 8. These documents are necessary to provide to JSDS before the agreement/first Purchase order.

Commercial Bid

• Commercial Bid form filled

Bid price

Price indicated on the price schedule shall be inclusive of GST, pkg & frdg& freight.

3.0 Earnest Money Deposit

- 3.1 EMD should be submitted online only
- 3.2 Any tender which is not accompanied by Earnest Money deposit are liable to be rejected. Earnest money deposit of unsuccessful tenderers will be returned within 90 days from the date of opening of the tender. The earnest money deposit of the successful tenderers will be released on completion of supply/work as the case may be within the stipulated period without any interest amount..
- 3.3 No interest will be paid on the earnest money for the period during which (the EMD) lies in deposit with Jabalpur Sahakari Dugdha Sangh. Maryadit.
 - EMD may be forfeited:
 - If successful Bidder/supplier fails/denies to perform work
 - If any bidder/supplier withdraw its bid during the bid validity period
- 3.4 EMD Exemption allowed only to the bidders who registered with M.S.M.E and having their establishment situated in M.P. State.

4.0 PRICES:

Prices offered by the tenderers should be firm and *free from all escalations* and shall be valid at *least for a period of 12 months from the date of approval of rates*. JSDSM will have the right to extend the validity of the tender approval by 3 months. If any tenderer wish to offer the rate subject to <u>PRICE ESCALATION CLAUSE</u> of raw materials, they may do so by clearly indicating in the BOQ Form

In case of a tenderer opting for offering prices subject to PRICE ESCALATION CLAUSE of raw materials then.

- (i) The tenderer shall have to submit the current price of the raw materials as on the date of tender along with sufficient authentic proof from the manufacturer of the raw material.
- (ii) The successful/approved firm will have to submit revised prices of raw materials with sufficient authentic proof from the manufacturer of the raw material whenever revision takes place.
- (iii) Accordingly the approved prices of the materials shall be revised upwardly or downwardly to the extent of the raw material component of the material.
- 4.1 The tenderer should quote rate on FOR dairy plant, Jabalpur basis, GST Included.
- 4.2 If need be, negotiations will be done for prices and as well as terms & conditions of material supply only with the party which offers the lowest rate.

5.0 MODE OF DESPATCH

- The material to be supplied by successful firm shall be dispatched to the dairy under prior intimation. Depending upon the type of material, the supplier shall have to carry out proper packing/crating to avoid damage during transit.
- 5.2 FOOD GRADE CERTIFICATE and NABL lab certified lab testing report for the material coming in direct contact of food is to be provided with every supply as per FASSI packaging regulation 2018 clause. Is compulsory for every supplier.
- 5.3 Wharfage /Demurrage etc. on account of incorrect or delayed delivery/dispatches of material/documents must the responsibility of supplier and shall be recovered from the bills.

6.0 PRINING:-

Printing work on each & every items should be printed as per JSDS approved Artwork.

- a) If printing found faded/Blurred then a penalty of 5% cost will be imposed.
- b) If item's GSM/micron found lesser than as specified in tender specification then a pro-rata deduction will be made.
- c) The Barcode printing found unreadable then entire supply will be rejected.

6.0 LIQUIDATED DAMAGES;

6.1 Delivery date are fixed for supply of material they shall be strictly adhered too. In case they are not followed, or in case of delay in execution or non-execution of the order, the Dugdha Sangh reserves the right either to cancel the order and make alternative purchases from other sources, at the risk and cost & expenses of the defaulting supplier. In case the supplies are not affected as per the schedules, the liquidated damages may be charged on the goods not so delivered as under:-

S.No.	Duration of delay	Liquidated Damages
1.	Up-to 15 days	1% cost of the unit.
2.	Between 16 to 30 days	2% cost of the unit
3.	Beyond 30 days	Up-to 5% cost of the unit.

6.2 If the tenderer fails to make supply as per purchase order without any valid reason, the order

would be treated as cancelled and the firm may be blacklisted for future dealings and EMD also would be forfeited by the management.

6.3 If the qualified tenderer fails to make supply the materials as per specification/material quality/printing as per JSDS's approved art work, JSDS Jabalpur will have right to purchase materials from the other bidders whom participated in the same tender and willing to supply the material on L-1 approved rates for which JSDS will take the consent of other bidders too. For the issue of purchase order the proportionate ratio will be 60:40.The L-1 supplier fails to supply materials then the entire requirement shall be fulfilled through the other bidders and if the other bidders didn't agree to supply the material on L-1 approved rates the difference amount would be charged from deposited EMD or their pending bills of L-1 bidders.

7.0 **INSURANCE**:

Insurance is to be arranged by the tenderer.

8.0 <u>INSPECTION</u>:

- 8.1 All the materials supplies are subject to inspection at our stores before acceptance. If goods are rejected due to defective or wrong supply, the report of our authorized official in this respect shall be FINAL and no correspondence on the subject would be entertained. If the material is not found as per specification of JDSM Jabalpur the consignment will be rejected shall not be returned. Supplier will be informed regarding rejection by post /e-mail supplier should attend this office within 15 days of the receipt of intimation so that the material could be rechecked and destroyed in his presence. If the supplier doesn't attend this office ontime then the material will be destroyed by JSDSM. No payment shall be made against the rejected materials.
- 8.2 Sample of the articles should be sent/produced before the competent authority if asked for within 3 days or as mutually agreed.
- 8.3 Bidders has to submit their customers list along with the performance report of consignee is compulsory.

9.0 PAYMENT

9.1 Our normal terms of payment is full payment after receipt, inspection and acceptance of materials in our stores within a period of about 30 days after receipt. Such payments shall be made through RTGS.

9.2 TERMINATION OF CONTRACT:

If any act of commission or omission of a unit under contract brings Jabalpur Sah. Dugdha Sangh Mydt. To dispute, then the Milk Unions shall be competent to debar/blacklist the unit from further business..

11.0 CONSEQUENCES OF BREACH OF AGREEMENT:

If any firm under the contract commits breach of any of the conditions, it shall be lawful for the Chief Executive Officer, Jabalpur Sahakari Dugdha Sangh Mydt. to cancel the contract and to purchase material from any other alternate sources on the risk and cost of the defaulting unit.

12. DISPUTE ARBITRATION & FINAL AUTHORITY:

- 12.1 It should be clearly understood that in the event of a successful tenderer failing to accept and execute the supply order, then decision of the Chief Executive Officer, Jabalpur Dugdha Sangh Mydt., in this respect will be final and binding on the successful tenderer.
- For all matters of dispute, the decision of the Honorable Chairman, Jabalpur Sah. Dugdha Sangh Mydt. Under Arbitration and Conciliation Act. 1996 shall be final and binding on

For all disputes, the venue for legal course shall be at Jabalpur.

Chief Executive Officer Jabalpur Sahakari Dugdha Sangh Mydt. Jabalpur

JABALPUR SAHAKARI DUGDHA SANGH MARYADIT JABALPUR Packing Material

C	Description Specification Dequired Date /			Data /
S.n	Description Of Material	Specification	Required Quantity	Rate / EMD
1	Shrink Sleeves Lassi Glass 200 ml	 •Material: PP(Polypropylene) •Total height:53mm±1 mm •Mouth Dia O.D: 95mm±1mm • Bottom Dia: O.D - 50 mm • I.D: 87mm±1mm • Base Dia (68mm±1mm) • Weight of Cup: (W/O Lid): 6.0±02g • Weight of lid: 4.0±02g • Printing matter, design & Bar code: Provided by Sangh to print on cups. If Bar Code not scanned consignment will be rejected. • General requirement: Strictly as per Annexure 'A' • Actual shape-As per sample 	200000 Nos.	5000/-E MD
2	Shrink Sleeves Shrikhand Cup Capacity 500 Grm	 Material: PP(Polypropylene)with lid white colour Total height: 64±1gm Mouth dia O.D: 122±1 mm Weight of cup: 17.5±2 grm Weight of lid: -8±1gm Diameter inner-115±1mm Lid: Lid should be properly fixed on cups Printing matter, design &Barcode: Provided by Sangh to print on cups. If Bar Code not scanned consignment will be reject ed. General requirement: Strictly as per Annexure 'A' Actual shape-As per sample 	250000 Nos.	5000/-E MD
3	Shrink Sleeves Mawa Cup Capacity 500 Grm	 Material: PP(Polypropylene) with lid white colour Total height: 64±1gm Mouth dia O.D: 122±1 mm Weight of cup: 17.5±2 grm Weight of lid: -8±1gm Diameter inner-115±1mm Lid: Lid should be properly fixed on cups Printing matter, design &Barcode: Provided by Sangh to print on cups. If Bar Code not scanned consignment will be reject ed. General requirement: Strictly as per Annexure 'A' Actual shape-As per sample 	250000 Nos.	5000/- EMD
4	Shrink Sleeves Cheena-Raba di Cup capacity 500 grm	 Material: PP(Polypropylene) with lid white colour Total height: 64±1gm Mouth dia O.D: 122±1 mm Weight of cup: 17.5±2 grm Weight of lid: -8±1gm Diameter inner-115±1mm Lid: Lid should be properly fixed on cups Printing matter, design &Barcode: Provided by Sangh to print on cups. If Bar Code not scanned consignment will be reject ed. General requirement: Strictly as per Annexure 'A' Actual shape-As per sample 	25000 Nos.	5000/-E MD

5	Shrink Sleeves Shrikhand Cup Capacity 100 Grm	 Material: PP(Polypropylene) Total height-50±1mm Mouth Dia OD-80mm Inner Dia-71mm Coller width-5mm (width of cup edge) Bottom dia OD-50mm Weight of cup-5.0±0.2 grm Full capacity-118ml Diameter inner-115±1mm Printing matter, design & Barcode: Provided by Sangh to print on cups. If Bar Code not scanned consignment will be reject ed. General requirement :Strictly as per Annexure 'A'Actual shape-As per sample 	200000 Nos.	5000/-E MD
6	Shrink Sleeves Cheena-Raba di Cup capacity 100 grm	• Material: PP(Polypropylene) • Total height-50±1mm • Mouth Dia OD-80mm • Neck(of cup)OD-71mm • Coller width-5mm (width of cup edge) • Bottom dia OD-50mm		5000/-E MD
7	Shrink Sleeves Curd Cup 200 Gm With Suitable Lid	 Weight of lid:-6.5 ± 1 g Mouth dia O.D:115 ± 2 mm Total height:46 ± 1 mm Weight of mm 12.5 ± 2 g 		5000/-E MD
8	IML Curd Cup 200 Gm With Suitable Lid	 Material:PP white colour Mouth dia top:90 ± 2 mm Mouth dia bottom:78±2 Total height:70 ± 1 mm I.D:90 ± 2 mm Lid:Lid should be properly fixed on cups Printing matter, design & Bar code: Provided by Sangh to print on cups.If Bar Code not scanned consignment will be rejected. Actual Shape:- As per Sample Design General requirement: Strictly as per Annexure 'A' 	100000 Nos.	5000 EMD
9.	Sanchi Peda Outer box 250Gm (Map Trav)	Length Upper Side OD 140mm Lower Side OD-115mm Width Upper Side OD-105mm Lower Side OD-80mm Side Height Oblong OD Material: Cyber excel of ITC virgin board Lamination proper & food grade on	1,00,000 Nos.	Rs/N os. 1000/-E MD

10.	Sanchi Peda Outer box 500Gm (Map Tray)	Width-45mmID Length-Upper -140mm Lower-155mm GSM 280±5 BS Kg/CMSQ min.7.5 Length Upper Side OD 193mm Lower Side OD-168mm Width Upper Side OD-114mm Lower Side OD-118mm Side Height Oblong OD Width-45mmID Length-Upper -193mm Lower-168mm GSM 280±5 BS Kg/CMSQ min.7.5	complete inner and outer side of box • Printing: Multicolor offset printing with aqua varnish as per approved art work of JSDS, with bar code. • Packing & delivery-Pack should be hygienic & delivery in dairy in most hygienic conditions • Box folding-Box with side folding crease. • Flap-Two as per sample, Tuck in Type	1,00,000 Nos.	
11.	Sanchi Nariyal Barfi Outer box 500 Grams (Map Tray)	Length Upper Side OD 193mm Lower Side OD-168mm Width Upper Side OD-144mm Lower Side OD-118mm Side Height Oblong OD Width-45mmID Length-Upper -193mm Lower-168mm GSM 280±5 BS Kg/CMSQ min.7.5 Length Upper Side OD 140mm	on both side Art work & design as approved by the JSDS Jbp, from time to time. Printing matters should be sharp and there should not be any smudging/spreading of print matters. Pigment &	50,000 Nos.	Rs/N os. 5000/-E MD
12.	Nariyal Barfi Outer box 250 Grams (Map Tray)	Lower Side OD-115mm Width Upper Side OD-105mm Lower Side OD-80mm Side Height Oblong OD Width-45mmID Length-Upper -140mm Lower-155mm GSM 280±5 BS Kg/CMSQ min.7.5	colourants should be as per IS 9833-1981 • Quality of Cartons:-Should be free from any unwanted odour, pinholes, spots, Lumps etc. and uniform in thickness. Weight of	Nos.	
13.	Sanchi Milk Cake Outer box 500 Grams (Map Tray)	Length Upper Side OD 193mm Lower Side OD-168mm Width Upper Side OD-144mm Lower Side OD-118mm Side Height Oblong OD Width-45mmID Length-Upper -193mm Lower-168mm GSM 280±5 BS Kg/CMSQ min.7.5	the cartons should be uniform throughout the supply period Outerside—Glossy waterbased(aqua's)var nish.(water resistant) Surface should be Ink. /Fiber tear bonding there should not be	50,000 Nos. 50,000 Nos. 50,000 Nos.	Rs/N os. 5000/-E
14.	Sanchi Milk Cake Outer box 250 Grams (Map Tray)	Length Upper Side OD 140mm Lower Side OD-115mm Width Upper Side OD-105mm Lower Side OD-80mm Side Height Oblong OD Width-45mmID Length-Upper -140mm Lower-155mm GSM 280±5 BS Kg/CMSQ min.7.5	any breakages, cracks ad de-shaping while on receipt/ handling.		MD
15.	Pet Jar 500 Grams w-29grm cap weight-10 gm total=39 grm Pet Jar 1000 Grams w-45grm cap weight-13 grm total=58 grm	Food grade materi Jar Should be Unb Packing & deliver	in quality & Food grade with all certificate. breakable and odorless y-Pack should be hygienic & n most hygienic conditions.	75,000 No	20,000/- EMD

16.	Milk Pouch Crate	 Suitable :To hold 24nos ½ liter milk pouches & stackable Material:Food grade HDPE Size :470 mm x 378 mm x 175 mm, 12 Lit. with partition kg., 470 mm x 378 mm x 175 mm, 12 Lit. with partition Both Side As per Approved design Weight:1.5 Kg. Colour: Blue Printing:JABALPUR SAHAKARI DUGDHA SANGH MARYADIT.SANCHI (to be screen printed on one side in Hindi and another side in English) Drop Test :Shall pass the drop test 	5000 Nos.	20,000/ -EMD.
17.	Milk Can (Aluminum)	40 Lit capacity (Aluminum)	1000 Nos.	20,000/ - EMD
18.	Curd Container For 5Kg Curd Container	 Container Type:- Conical Lids: Plain Brimful Volume Before lid Fitment :- 5,770 ml Gross Lidded Volume after lid fitment :- 5,300 ml MOC Container:- PPCP MOC Lid:-PPCP Diameter at Top(OD):-202.00 Neck Opening Diameter (ID):-196.00 Maximum Outer diameter W/o Handle Fitment :-214.00 Diameter at Bottom:-177.50 Height of Container:-212.70 Max height after lid fitment:-214.00 Height of Lid:-22.50 Lid Max OD:-208.00 Lid Inner Profile:-196.00 Average wall Thickness of Container (side Wall):-1 Average Wall Thickness of Container (bottom):-1.1 Average Wall Thickness of Lid (top Surface):-1.0 Container Weight:-183±10 Lid Weight:-67±5 Handle Weight:-17±2. Total Weight:-267±17 Silk Screen Print area:-150x560 Actual shape-As per sample 	25,000 Nos	5000/-E MD
19.	For 15Kg	 Container Type:- Conical Lids: Plain Brimful Volume Before lid Fitment :- 15,200 ml Gross Lidded Volume after lid fitment :-14,620 ml MOC Container:- PPCP MOC Lid:-PPCP Diameter at Top(OD):-305.00 Neck Opening Diameter (ID):-287.00 Maximum Outer diameter W/o Handle Fitment :-312.00 Diameter at Bottom:-262.00 Height of Container:-261.00 Max height after lid fitment:-270.00 Height of Lid:-33.02 Lid Max OD:-312.00 	5,000 Nos	5000/-E MD

	Lid Inner Profile:-287.00	
	• Average wall Thickness of Container (side	
	Wall):-1.8	
	Average wall Thickness of Container	
	(bottom):-1.85	
	• Average Wall Thickness of Lid (top Surface):-1.6	
	Container Weight:- 550±15	
-	Lid Weight:-210±5	
-	Handle Weight:-60±5.	
	Total Weight:-830±28	
•	Silk Screen Print area:-160x830	
	Actual shape-As per sample	

Specification For packing Material suitable for MAP Machine

Specification For Barrier Tray 250gm MAP packing (EMD-5,000/-)

Product Name	-250gm Barier tray
Material Composition	-9 Layer (PP-EVOH-PP)
Structure of Sheet	-PP-IN/PP2/TIE/EVOH/TIE/PP3/PP4/PP-OUT
Thermal Resistance	-Microwaveable, Retortable
Total Sheet Thickness	760 ųm±5
-EVOH	Sufficient to comply the requirement of OTR &
	WVTR
Colour	white or as per JSDS requirement
OTR	<0.01cc/ m² per day
Test Condition	air@23'C,outer(02)50%RH,inner,100%RH(N2)
WVTR	<0.01g/ m ² per
Test Condition for water vapor	40°C at 90% RH

PARAMETER

Particular	Standard	Tolerance	Unit
Tray Size (LxBxH)	137x102x40	±1.0mm	mm
Tray Weight	10.5	±0.5	gm
Tray Height	40.0	±1.0	mm
Stack Height	6.0	±0.2	mm
Sealing Flange Width (width at Lip)	6.0	±1.0	mm
WALL THICKNESS AT 15MM FROM TOP	0.20 MIN	-	mm
WALL THICKNESS AT 25MM FROM TOP	0.20 MIN	-	mm
CORNER WALL THICKNESS AT 15 MM FROM	0.15MIN	-	mm
TOP			
CORNER WALL THICKNESS AT 25 MM FROM	0.20MIN	-	mm
TOP			
LIP THICKNESS	0.60MIN	-	mm
BOTTOM THICKNESS	0.20 MIN	-	mm
CLUBBLA COMPUTA	<u> </u>		

SUPPLY CONDITION

This material should be supplied in a closed protected liner free from dirt, debris and pest Activity. Trays packed in liner shall be further packed in suitable corrugated boxes.

REGULATORY COMPLIANCE

The material should manufacture from FOOD GRADE POLYMERS as per BIS &FSSAI requirements. The products shall certified as direct food contact as per FSSAI (IS:9845) Product shall recyclable as CIPET as per IS 14534-2016 Embossing of Sanchi & JDS at the bottom side of tray

There is no post-consumer recycled material used.

Supplier should collect sample from OC lab of JSDS, Jabalpur and manufacture trays according to the sample and submit manufactured sample for approval before supply.

Specification For Barrier tray 500 gm MAP Packaging (EMD-5,000/-)

Product Name	500 gm Barrier Tray
Material Composition	-9 Layer (PP-EVOH-PP)
Structure of Sheet	-PP-IN/PP2/TIE/EVOH/TIE/PP3/PP4/PP-OUT
Thermal Resistance	-Microwaveable, Retortable
Total Sheet Thickness	760 ųm±5
-EVOH	Sufficient to comply the requirement of OTR &
	WVTR
Colour	white or as per JSDS requirement
OTR	<0.01cc/ m² per day
Test Condition	air@23'C,outer(02)50%RH,inner,100%RH(N2)
WVTR	<0.01g/ m² per
Test Condition for water vapor	40°C at 90% RH

PARAMETER

THE WILLER	•		
Particular	Standard	Tolerance	Unit
Tray Size (L x B x H)	190x140x40	±1.0mm	mm
Tray Weight	19.5	±0.5	gm
Tray Height	40.0	±1.0	mm
Stack Height	7.0	±0.2	mm
Sealing Flange Width (width at Lip)	7.0	±1.0	mm
WALL THICKNESS AT 15MM FROM TOP	0.20 MIN	-	mm
WALL THICKNESS AT 25MM FROM TOP	0.20 MIN	-	mm
CORNER WALL THICKNESS AT 15 MM FROM	0.15MIN	-	mm
TOP			
CORNER WALL THICKNESS AT 25 MM FROM	0.20MIN	-	mm
TOP			
LIP THICKNESS	0.60MIN	-	mm
BOTTOM THICKNESS	0.20 MIN		400.400
BOTTOWITHICKNESS	U.ZU IVIIIN	_	mm

SUPPLY CONDITION

This material should be supplied in a closed protected liner free from dirt, debris and pest Activity. Trays packed in liner shall be further packed in suitable corrugated boxes.

REGULATORY COMPLIANCE

The material should manufacture from FOOD GRADE POLYMERS as per BIS &FSSAI requirements. The products shall certified as direct food contact as per FSSAI (IS:9845) Product shall recyclable as CIPET as per IS 14534-2016 Embossing of Sanchi & JDS at the bottom side of tray

There is no post-consumer recycled material used.

Supplier should collect sample from OC lab of JSDS, Jabalpur and manufacture trays according to the sample and submit manufactured sample for approval before supply.

Specification for High Barrier Lid Film (EMD-5000/-)

Product Name	High Barrier Easy
	Peel Lid Film

Structure	12-Mic Barrier transparent ALOX-PET/ADH/70
	mic CPP (CPP-ALOX-PET)
Thickness GSM	85 micron±5%
	GSM 85±5%
Size	350mmx400 mtr
Approx Weight 12.25 Kg±5% tolerance	
Coil Width As per JSDS requirement	
Printing Sanchi Logo & other as per JSDS approved	
_	Work

1) BASIC INFORMATIOM:-

<u>Raw Material</u>- High Barrier Food grade as per BIS & FSSAI requirements . There should no post consumer recycled material used in the manufacture of film

Appearance :- Transparent.

2) Physical Properties:-

	Unit	Test Method	Value	Note
Thickness	ų	ISO:534	85Micron(±5%)	
Avg GSM	g/M²	DIN:53362	85.0(±5%)	

3. Gas Transmission Rate

	Unit/m ² Day atm	Unit/100 inch ²	Test Condition	
		day atm		
Oxygen	<0.1	< 0.01	@23°C,80%RH	
Co2 (units cc)	<0.3	< 0.02	@23°C,80%RH	
Mois. Vapour(Units g)	<0.5	< 0.03	@40°C,90%RH	

4. Food Safety

All the raw material for manufacturing these films meets the requirement of BIS & FSSAI

5. Application

These films are used for food (milk products) packing in modified atmosphere of carbon –oxide & nitrogen the should not affected by these gases

6. Packaging: The film should be supplied duly packed in dry, clean and hygienic packaging liner kept in dry corrugated box and it is not to be allowed to come in contact with mordant chemical goods and other injurant.

The product shall certified as direct food consumer as per FSSAI (IS:9845) Product shall recycled as CIPET as per 14534-2016.

Specification For Lid (Cap) of Barrier Tray with Printed Sticker:

Particular	250g	500g	
Sheet Thickness	450 micron+50 micron, PP	450 micron+50 micron, PP	
Structure	food Grade	food Grade	
Color	Transparent	Transparent	
Thermal Resistance	Microwavable	Microwavable	
Trim length	145.5+1.0% (mm)	195.9+1.0%(mm)	
Trim width	109.4+1.0%(mm)	146.8+10%(mm)	
Shoulder length	138.7+1.0% (mm)	189.9+1.0% (mm)	
Shoulder width	102.9+1.0%(mm)	141.8+1.0%(mm)	
Topwall Thickness	0.4mm	0.4mm	

Height	15.0mm	12.5mm
Weight	6.3g min	9.8g min
Surface Upper Flat area of cap for printing /sticker	Suitable Size on top ⊥	Suitable size on top
Sticker (multi-color)	As per JSDS approved artwork Art work provided by JSDS	As per JSDS approved artwork Art work provided by JSDS

Product will certified as direct food contact as per IS 9845 (as per FSSAI)

Duplex Box for Sanchi Ghee Ceka

S	Particulars		GSM		B.S. min Kg/sq.cm	Aprox.	EMD
N			per ply		8-1	QtyRe	
		Size mm I.D		Pl y		qr	
A	CARTON:-Ghee refill metallic ceka pack for 1 Liter Capacity. Met pet+ U.V+ texture + emboss+ lamination	L W H 102x70x168 Sealing Flap-44mm	400 ± 5% ITC Khanna GPH'C Or Equivalent Grey Black	5	 13 Micron Customomized Holographic Metalized Polyester Film. Printing: Multi color full UV Printing Die Cutting: As Per Approved Engineering Drawing Art Work: As Per Sangh Art Work 	100000 Nos.	5000/-
	LINER:-Ghee refill metallic ceka pack for 1 Liter Capacity. Met pet+ U.V+ texture +emboss+ lamination	W H 365x275 Sealing Joint-10-14mm	90 ± 5%		12 micron METPET/75 Micron HDLD (30% Dowlex)/poly/HD-L E Pasting: Liner to be inside the carton with equal overhang of 8mm from both side Printing: Sanchi on liner		
В	CARTON:- Ghee refill ceka pack for 500 ml / 1/2 Liter Capacity Duplex Carton	L x W x H 86 x 61 x115 mm, Sealing Flap-44mm	380±5% ITC Grey Black Board		 13 Micron Customomized Holographic Metalized Polyester Film. Printing:5color full UV Printing with drip off UV coating Die Cutting: As Per Approved Engineering Drawing Art Work: As Per Sangh Art Work 	200000 Nos.	5000/-
	LINER:- Ghee refill ceka pack for 500 ml / 1/2 Liter Capacity Duplex Carton	W x H 310x215 Sealing Joint-10-14mm	88±2%		12 micron METPET/75 Micron HDLD (30% Dowlex)/poly/HD-L E Pasting: Liner to be		

					inside the carton with equal overhang of 10mm from both side • Printing: Sanchi on liner
С	CARTON:- Ghee refill pack for 200 ml / 1/5 Liter Capacity Duplex Carton	L x W x H 77 x 42 x86 mm, Sealing Flap-30mm	360±5% ITC Grey Black Board	5	 13 Micron Customomized Holographic Metalized Polyester Film. Printing:5color full UV Printing with drip off UV coating Die Cutting: As Per Approved Engineering Drawing Art Work: As Per Sangh Art Work
	LINER:- Ghee refill ceka pack for 200 ml / 1/5 Liter Capacity Duplex Carton	W x H 240x160 Sealing Joint-10-14mm	88±2%		12 micron METPET/75 Micron HDLD (30% Dowlex) Pasting: Liner to be inside the carton with equal overhang of 3mm from both side Printing: Sanchi on liner

Remark ***

Type of paper for all above cartons as below:

- (A) For Sanchi Ghee Ceka Pack -Optic /ITC or equivalent grey-back 350GSM (Min.)
- 1. All the printing shall be made as per the design approved by JSDSM with Agmark Replica or ISI Logo on Duplex Boxes.
- **2.** Only Food grade gums with anti- fungus properties shall be used by manufacturer. Paper should be neat and clean and free from fungus, insects etc.
- 3. All Cartons should be laminated.
- 4. Agmark serial numbers should be clearly printed.
- 5. Supplier should submit a certificate regarding food grade Gum used in the Carton production.
- 6. For liquid lamination/aqua varnish sample may please be collected from JSDSM.
- 7. Qualified supplier should provide samples as per specification of JSDSM & get approval from Q.C. before supply.
- **8**. FLAP: Ghee 1 Liter- L-110x55mm, W-60x50mm: Ghee 500ml- L-110x50mm, W-60x50mm: Ghee 200mlL-110x30mm, W-35x40mm. & Ghee 100gram ghee-110x30mm

Note for All: - Sample of all above pack size is to be collected from JSDSM Jabalpur. Food grade certificate and COA, NABL lab analysis report of the material coming in direct contact of food material is to be provided with every consignment.